

Immissionspunkt

Bez.: IPN_08_Na_2 Wohlbedacht 1 Haus Ost, Bad Wünnenberg

ID: !0A00!IPN_08_Na_2

X: 486122.34 m

Y: 5705167.57 m

Z: 404.00 m

Punktquelle nach ISO 9613, Bez: "Ritzenhoff", ID: "!05!Ritzenhoff"

X	Y	Z	Ground	Dist.	hm	Refl.	Freq.	Lw	K0	Di	Adiv	Aatm	Agr	Abar	Cmet	RV	Lr
(m)	(m)	(m)	(m)	(m)	(m)		(Hz)	dB(A)	(dB)	(dB)	(dB)	(dB)	(dB)	(dB)	(dB)	(dB)	dB(A)
487144	5703668	420.9	417.9	1814.6	8.7	0	500	105.0	3.0	0.0	76.2	3.5	4.7	0.3	0.0	0.0	23.4

Immissionspunkt

Bez.: IPN_08_Na_3 Wohlbedacht 1 Haus Ost, Bad Wünnenberg

ID: !0A00!IPN_08_Na_3

X: 486122.34 m

Y: 5705167.57 m

Z: 407.41 m

Punktquelle nach ISO 9613, Bez: "Ritzenhoff", ID: "!05!Ritzenhoff"

X	Y	Z	Ground	Dist.	hm	Refl.	Freq.	Lw	K0	Di	Adiv	Aatm	Agr	Abar	Cmet	RV	Lr
(m)	(m)	(m)	(m)	(m)	(m)		(Hz)	dB(A)	(dB)	(dB)	(dB)	(dB)	(dB)	(dB)	(dB)	(dB)	dB(A)
487144	5703668	420.9	417.9	1814.6	8.7	0	500	105.0	3.0	0.0	76.2	3.5	4.6	0.1	0.0	0.0	23.6

Immissionspunkt

Bez.: IPN_08_Nb_2 Wohlbedacht 1 Haus Ost, Bad Wünnenberg

ID: !0A00!IPN_08_Nb_2

X: 486129.17 m

Y: 5705162.68 m

Z: 404.00 m

Punktquelle nach ISO 9613, Bez: "Ritzenhoff", ID: "!05!Ritzenhoff"

X	Y	Z	Ground	Dist.	hm	Refl.	Freq.	Lw	K0	Di	Adiv	Aatm	Agr	Abar	Cmet	RV	Lr
(m)	(m)	(m)	(m)	(m)	(m)		(Hz)	dB(A)	(dB)	(dB)	(dB)	(dB)	(dB)	(dB)	(dB)	(dB)	dB(A)
487144	5703668	420.9	417.9	1806.7	8.7	0	500	105.0	3.0	0.0	76.1	3.5	4.7	0.3	0.0	0.0	23.4

Immissionspunkt

Bez.: IPN_08_Nb_3 Wohlbedacht 1 Haus Ost, Bad Wünnenberg

ID: !0A00!IPN_08_Nb_3

X: 486129.17 m

Y: 5705162.68 m

Z: 407.41 m

Punktquelle nach ISO 9613, Bez: "Ritzenhoff", ID: "!05!Ritzenhoff"

X	Y	Z	Ground	Dist.	hm	Refl.	Freq.	Lw	K0	Di	Adiv	Aatm	Agr	Abar	Cmet	RV	Lr
(m)	(m)	(m)	(m)	(m)	(m)		(Hz)	dB(A)	(dB)	(dB)	(dB)	(dB)	(dB)	(dB)	(dB)	(dB)	dB(A)
487144	5703668	420.9	417.9	1806.7	8.7	0	500	105.0	3.0	0.0	76.1	3.5	4.6	0.1	0.0	0.0	23.6

Immissionspunkt

Bez.: IPN_08_Nc_2 Wohlbedacht 1 Haus Ost, Bad Wünnenberg

ID: !0A00!IPN_08_Nc_2

X: 486135.99 m

Y: 5705157.78 m

Z: 404.00 m

Punktquelle nach ISO 9613, Bez: "Ritzenhoff", ID: "!05!Ritzenhoff"

X	Y	Z	Ground	Dist.	hm	Refl.	Freq.	Lw	K0	Di	Adiv	Aatm	Agr	Abar	Cmet	RV	Lr
(m)	(m)	(m)	(m)	(m)	(m)		(Hz)	dB(A)	(dB)	(dB)	(dB)	(dB)	(dB)	(dB)	(dB)	(dB)	dB(A)
487144	5703668	420.9	417.9	1798.8	7.9	0	500	105.0	3.0	0.0	76.1	3.5	4.7	0.1	0.0	0.0	23.7

Immissionspunkt

Bez.: IPN_08_Nc_3 Wohlbedacht 1 Haus Ost, Bad Wünnenberg

ID: !0A00!IPN_08_Nc_3

X: 486135.99 m

Y: 5705157.78 m

Z: 407.41 m

Punktquelle nach ISO 9613, Bez: "Ritzenhoff", ID: "!05!Ritzenhoff"

X	Y	Z	Ground	Dist.	hm	Refl.	Freq.	Lw	K0	Di	Adiv	Aatm	Agr	Abar	Cmet	RV	Lr
(m)	(m)	(m)	(m)	(m)	(m)		(Hz)	dB(A)	(dB)	(dB)	(dB)	(dB)	(dB)	(dB)	(dB)	(dB)	dB(A)
487144	5703668	420.9	417.9	1798.8	8.5	0	500	105.0	3.0	0.0	76.1	3.5	4.6	0.0	0.0	0.0	23.8

Immissionspunkt

Bez.: IPN_08_Nd_2 Wohlbedacht 1 Haus Ost, Bad Wünnenberg

ID: !0A00!IPN_08_Nd_2

X: 486142.82 m

Y: 5705152.89 m

Z: 404.00 m

Punktquelle nach ISO 9613, Bez: "Ritzenhoff", ID: "!05!Ritzenhoff"

X	Y	Z	Ground	Dist.	hm	Refl.	Freq.	Lw	K0	Di	Adiv	Aatm	Agr	Abar	Cmet	RV	Lr
(m)	(m)	(m)	(m)	(m)	(m)		(Hz)	dB(A)	(dB)	(dB)	(dB)	(dB)	(dB)	(dB)	(dB)	(dB)	dB(A)
487144	5703668	420.9	417.9	1791.0	6.8	0	500	105.0	3.0	0.0	76.1	3.5	4.7	0.0	0.0	0.0	23.8

Immissionspunkt

Bez.: IPN_08_Nd_3 Wohlbedacht 1 Haus Ost, Bad Wünnenberg

ID: !0A00!IPN_08_Nd_3

X: 486142.82 m

Y: 5705152.89 m

Z: 407.41 m

Punktquelle nach ISO 9613, Bez: "Ritzenhoff", ID: "!05!Ritzenhoff"

X	Y	Z	Ground	Dist.	hm	Refl.	Freq.	Lw	K0	Di	Adiv	Aatm	Agr	Abar	Cmet	RV	Lr
(m)	(m)	(m)	(m)	(m)	(m)		(Hz)	dB(A)	(dB)	(dB)	(dB)	(dB)	(dB)	(dB)	(dB)	(dB)	dB(A)
487144	5703668	420.9	417.9	1790.9	8.5	0	500	105.0	3.0	0.0	76.1	3.5	4.6	0.0	0.0	0.0	23.9

Immissionspunkt

Bez.: IPN_08_Oa_0 Wohlbedacht 1 Haus Ost, Bad Wünnenberg

ID: !0A00!IPN_08_Oa_0

X: 486144.25 m

Y: 5705145.18 m

Z: 399.31 m

Punktquelle nach ISO 9613, Bez: "Ritzenhoff", ID: "!05!Ritzenhoff"

X	Y	Z	Ground	Dist.	hm	Refl.	Freq.	Lw	K0	Di	Adiv	Aatm	Agr	Abar	Cmet	RV	Lr
(m)	(m)	(m)	(m)	(m)	(m)		(Hz)	dB(A)	(dB)	(dB)	(dB)	(dB)	(dB)	(dB)	(dB)	(dB)	dB(A)
487144	5703668	420.9	417.9	1783.8	5.1	0	500	105.0	3.0	0.0	76.0	3.4	4.7	0.1	0.0	0.0	23.8

Immissionspunkt

Bez.: IPN_08_Oa_1 Wohlbedacht 1 Haus Ost, Bad Wünnenberg

ID: !0A00!IPN_08_Oa_1

X: 486144.25 m

Y: 5705145.18 m

Z: 402.11 m

Punktquelle nach ISO 9613, Bez: "Ritzenhoff", ID: "!05!Ritzenhoff"

X	Y	Z	Ground	Dist.	hm	Refl.	Freq.	Lw	K0	Di	Adiv	Aatm	Agr	Abar	Cmet	RV	Lr
(m)	(m)	(m)	(m)	(m)	(m)		(Hz)	dB(A)	(dB)	(dB)	(dB)	(dB)	(dB)	(dB)	(dB)	(dB)	dB(A)
487144	5703668	420.9	417.9	1783.8	5.7	0	500	105.0	3.0	0.0	76.0	3.4	4.7	0.1	0.0	0.0	23.8

Immissionspunkt

Bez.: IPN_08_Oa_2 Wohlbedacht 1 Haus Ost, Bad Wünnenberg

ID: !0A00!IPN_08_Oa_2

X: 486144.25 m

Y: 5705145.18 m

Z: 404.91 m

Punktquelle nach ISO 9613, Bez: "Ritzenhoff", ID: "!05!Ritzenhoff"

X	Y	Z	Ground	Dist.	hm	Refl.	Freq.	Lw	K0	Di	Adiv	Aatm	Agr	Abar	Cmet	RV	Lr
(m)	(m)	(m)	(m)	(m)	(m)		(Hz)	dB(A)	(dB)	(dB)	(dB)	(dB)	(dB)	(dB)	(dB)	(dB)	dB(A)
487144	5703668	420.9	417.9	1783.8	7.1	0	500	105.0	3.0	0.0	76.0	3.4	4.7	0.0	0.0	0.0	23.9

Immissionspunkt

Bez.: IPN_08_Ob_0 Wohlbedacht 1 Haus Ost, Bad Wünnenberg

ID: !0A00!IPN_08_Ob_0

X: 486142.51 m

Y: 5705142.79 m

Z: 398.65 m

Punktquelle nach ISO 9613, Bez: "Ritzenhoff", ID: "!05!Ritzenhoff"

X	Y	Z	Ground	Dist.	hm	Refl.	Freq.	Lw	K0	Di	Adiv	Aatm	Agr	Abar	Cmet	RV	Lr
(m)	(m)	(m)	(m)	(m)	(m)		(Hz)	dB(A)	(dB)	(dB)	(dB)	(dB)	(dB)	(dB)	(dB)	(dB)	dB(A)
487144	5703668	420.9	417.9	1782.8	5.0	0	500	105.0	3.0	0.0	76.0	3.4	4.7	0.0	0.0	0.0	23.8

Immissionspunkt

Bez.: IPN_08_Ob_1 Wohlbedacht 1 Haus Ost, Bad Wünnenberg

ID: !0A00!IPN_08_Ob_1

X: 486142.51 m

Y: 5705142.79 m

Z: 401.45 m

Punktquelle nach ISO 9613, Bez: "Ritzenhoff", ID: "!05!Ritzenhoff"

X	Y	Z	Ground	Dist.	hm	Refl.	Freq.	Lw	K0	Di	Adiv	Aatm	Agr	Abar	Cmet	RV	Lr
(m)	(m)	(m)	(m)	(m)	(m)		(Hz)	dB(A)	(dB)	(dB)	(dB)	(dB)	(dB)	(dB)	(dB)	(dB)	dB(A)
487144	5703668	420.9	417.9	1782.8	5.3	0	500	105.0	3.0	0.0	76.0	3.4	4.7	0.1	0.0	0.0	23.8

Immissionspunkt

Bez.: IPN_08_Ob_2 Wohlbedacht 1 Haus Ost, Bad Wünnenberg

ID: !0A00!IPN_08_Ob_2

X: 486142.51 m

Y: 5705142.79 m

Z: 404.25 m

Punktquelle nach ISO 9613, Bez: "Ritzenhoff", ID: "!05!Ritzenhoff"

X	Y	Z	Ground	Dist.	hm	Refl.	Freq.	Lw	K0	Di	Adiv	Aatm	Agr	Abar	Cmet	RV	Lr
(m)	(m)	(m)	(m)	(m)	(m)		(Hz)	dB(A)	(dB)	(dB)	(dB)	(dB)	(dB)	(dB)	(dB)	(dB)	dB(A)
487144	5703668	420.9	417.9	1782.8	6.7	0	500	105.0	3.0	0.0	76.0	3.4	4.7	0.0	0.0	0.0	23.9

Immissionspunkt

Bez.: IPN_08_Sa_0 Wohlbedacht 1 Haus Ost, Bad Wünnenberg

ID: !0A00!IPN_08_Sa_0

X: 486134.92 m

Y: 5705142.07 m

Z: 398.65 m

Punktquelle nach ISO 9613, Bez: "Ritzenhoff", ID: "!05!Ritzenhoff"

X	Y	Z	Ground	Dist.	hm	Refl.	Freq.	Lw	K0	Di	Adiv	Aatm	Agr	Abar	Cmet	RV	Lr
(m)	(m)	(m)	(m)	(m)	(m)		(Hz)	dB(A)	(dB)	(dB)	(dB)	(dB)	(dB)	(dB)	(dB)	(dB)	dB(A)
487144	5703668	420.9	417.9	1786.5	5.0	0	500	105.0	3.0	0.0	76.0	3.4	4.7	0.0	0.0	0.0	23.8

Immissionspunkt

Bez.: IPN_08_Sa_1 Wohlbedacht 1 Haus Ost, Bad Wünnenberg

ID: !0A00!IPN_08_Sa_1

X: 486134.92 m

Y: 5705142.07 m

Z: 401.45 m

Punktquelle nach ISO 9613, Bez: "Ritzenhoff", ID: "!05!Ritzenhoff"

X	Y	Z	Ground	Dist.	hm	Refl.	Freq.	Lw	K0	Di	Adiv	Aatm	Agr	Abar	Cmet	RV	Lr
(m)	(m)	(m)	(m)	(m)	(m)		(Hz)	dB(A)	(dB)	(dB)	(dB)	(dB)	(dB)	(dB)	(dB)	(dB)	dB(A)
487144	5703668	420.9	417.9	1786.5	5.3	0	500	105.0	3.0	0.0	76.0	3.4	4.7	0.1	0.0	0.0	23.8

Immissionspunkt

Bez.: IPN_08_Sa_2 Wohlbedacht 1 Haus Ost, Bad Wünnenberg

ID: !0A00!IPN_08_Sa_2

X: 486134.92 m

Y: 5705142.07 m

Z: 404.25 m

Punktquelle nach ISO 9613, Bez: "Ritzenhoff", ID: "!05!Ritzenhoff"

X	Y	Z	Ground	Dist.	hm	Refl.	Freq.	Lw	K0	Di	Adiv	Aatm	Agr	Abar	Cmet	RV	Lr
(m)	(m)	(m)	(m)	(m)	(m)		(Hz)	dB(A)	(dB)	(dB)	(dB)	(dB)	(dB)	(dB)	(dB)	(dB)	dB(A)
487144	5703668	420.9	417.9	1786.4	6.6	0	500	105.0	3.0	0.0	76.0	3.4	4.7	0.0	0.0	0.0	23.9

Immissionspunkt

Bez.: IPN_08_Sb_0 Wohlbedacht 1 Haus Ost, Bad Wünnenberg

ID: !0A00!IPN_08_Sb_0

X: 486121.25 m

Y: 5705151.90 m

Z: 398.65 m

Punktquelle nach ISO 9613, Bez: "Ritzenhoff", ID: "!05!Ritzenhoff"

X	Y	Z	Ground	Dist.	hm	Refl.	Freq.	Lw	K0	Di	Adiv	Aatm	Agr	Abar	Cmet	RV	Lr
(m)	(m)	(m)	(m)	(m)	(m)		(Hz)	dB(A)	(dB)	(dB)	(dB)	(dB)	(dB)	(dB)	(dB)	(dB)	dB(A)
487144	5703668	420.9	417.9	1802.4	4.9	0	500	105.0	3.0	0.0	76.1	3.5	4.7	0.0	0.0	0.0	23.6
487144	5703668	420.9	417.9	1812.7	4.9	1	500	105.0	3.0	0.0	76.2	3.5	4.7	0.0	0.0	1.0	22.6

Immissionspunkt

Bez.: IPN_08_Sb_1 Wohlbedacht 1 Haus Ost, Bad Wünnenberg

ID: !0A00!IPN_08_Sb_1

X: 486121.25 m

Y: 5705151.90 m

Z: 401.45 m

Punktquelle nach ISO 9613, Bez: "Ritzenhoff", ID: "!05!Ritzenhoff"

X	Y	Z	Ground	Dist.	hm	Refl.	Freq.	Lw	K0	Di	Adiv	Aatm	Agr	Abar	Cmet	RV	Lr
(m)	(m)	(m)	(m)	(m)	(m)		(Hz)	dB(A)	(dB)	(dB)	(dB)	(dB)	(dB)	(dB)	(dB)	(dB)	dB(A)
487144	5703668	420.9	417.9	1802.3	5.2	0	500	105.0	3.0	0.0	76.1	3.5	4.7	0.1	0.0	0.0	23.6

Immissionspunkt

Bez.: IPN_08_Sb_2 Wohlbedacht 1 Haus Ost, Bad Wünnenberg

ID: !0A00!IPN_08_Sb_2

X: 486121.25 m

Y: 5705151.90 m

Z: 404.25 m

Punktquelle nach ISO 9613, Bez: "Ritzenhoff", ID: "!05!Ritzenhoff"

X	Y	Z	Ground	Dist.	hm	Refl.	Freq.	Lw	K0	Di	Adiv	Aatm	Agr	Abar	Cmet	RV	Lr
(m)	(m)	(m)	(m)	(m)	(m)		(Hz)	dB(A)	(dB)	(dB)	(dB)	(dB)	(dB)	(dB)	(dB)	(dB)	dB(A)
487144	5703668	420.9	417.9	1802.3	6.5	0	500	105.0	3.0	0.0	76.1	3.5	4.7	0.0	0.0	0.0	23.7

Immissionspunkt

Bez.: IPN_08_Sc_0 Wohlbedacht 1 Haus Ost, Bad Wünnenberg

ID: !0A00!IPN_08_Sc_0

X: 486115.42 m

Y: 5705153.09 m

Z: 399.00 m

Punktquelle nach ISO 9613, Bez: "Ritzenhoff", ID: "!05!Ritzenhoff"

X	Y	Z	Ground	Dist.	hm	Refl.	Freq.	Lw	K0	Di	Adiv	Aatm	Agr	Abar	Cmet	RV	Lr
(m)	(m)	(m)	(m)	(m)	(m)		(Hz)	dB(A)	(dB)	(dB)	(dB)	(dB)	(dB)	(dB)	(dB)	(dB)	dB(A)
487144	5703668	420.9	417.9	1806.6	4.9	0	500	105.0	3.0	0.0	76.1	3.5	4.7	0.0	0.0	0.0	23.6
487144	5703668	420.9	417.9	1808.3	5.0	1	500	105.0	3.0	0.0	76.1	3.5	4.7	0.0	0.0	1.0	22.6

Immissionspunkt

Bez.: IPN_08_Sc_1 Wohlbedacht 1 Haus Ost, Bad Wünnenberg

ID: !0A00!IPN_08_Sc_1

X: 486115.42 m

Y: 5705153.09 m

Z: 401.80 m

Punktquelle nach ISO 9613, Bez: "Ritzenhoff", ID: "!05!Ritzenhoff"

X	Y	Z	Ground	Dist.	hm	Refl.	Freq.	Lw	K0	Di	Adiv	Aatm	Agr	Abar	Cmet	RV	Lr
(m)	(m)	(m)	(m)	(m)	(m)		(Hz)	dB(A)	(dB)	(dB)	(dB)	(dB)	(dB)	(dB)	(dB)	(dB)	dB(A)
487144	5703668	420.9	417.9	1806.6	5.2	0	500	105.0	3.0	0.0	76.1	3.5	4.7	0.1	0.0	0.0	23.6

Immissionspunkt

Bez.: IPN_08_Sd_0 Wohlbedacht 1 Haus Ost, Bad Wünnenberg

ID: !0A00!IPN_08_Sd_0

X: 486110.21 m

Y: 5705150.79 m

Z: 399.50 m

Punktquelle nach ISO 9613, Bez: "Ritzenhoff", ID: "!05!Ritzenhoff"

X	Y	Z	Ground	Dist.	hm	Refl.	Freq.	Lw	K0	Di	Adiv	Aatm	Agr	Abar	Cmet	RV	Lr
(m)	(m)	(m)	(m)	(m)	(m)		(Hz)	dB(A)	(dB)	(dB)	(dB)	(dB)	(dB)	(dB)	(dB)	(dB)	dB(A)
487144	5703668	420.9	417.9	1807.7	4.9	0	500	105.0	3.0	0.0	76.1	3.5	4.7	0.0	0.0	0.0	23.6
487144	5703668	420.9	417.9	1812.2	5.4	1	500	105.0	3.0	0.0	76.2	3.5	4.7	11.9	0.0	1.0	10.7

Immissionspunkt

Bez.: IPN_08a_Na_1 Wohlbedacht 1 Haus West, Bad Wünnenberg

ID: !0A00!IPN_08a_Na_1

X: 486082.35 m

Y: 5705189.32 m

Z: 400.99 m

Punktquelle nach ISO 9613, Bez: "Ritzenhoff", ID: "!05!Ritzenhoff"

X	Y	Z	Ground	Dist.	hm	Refl.	Freq.	Lw	K0	Di	Adiv	Aatm	Agr	Abar	Cmet	RV	Lr
(m)	(m)	(m)	(m)	(m)	(m)		(Hz)	dB(A)	(dB)	(dB)	(dB)	(dB)	(dB)	(dB)	(dB)	(dB)	dB(A)
487144	5703668	420.9	417.9	1855.2	5.8	0	500	105.0	3.0	0.0	76.4	3.6	4.7	0.1	0.0	0.0	23.3

Immissionspunkt

Bez.: IPN_08a_Na_2 Wohlbedacht 1 Haus West, Bad Wünnenberg

ID: !0A00!IPN_08a_Na_2

X: 486082.35 m

Y: 5705189.32 m

Z: 403.79 m

Punktquelle nach ISO 9613, Bez: "Ritzenhoff", ID: "!05!Ritzenhoff"

X	Y	Z	Ground	Dist.	hm	Refl.	Freq.	Lw	K0	Di	Adiv	Aatm	Agr	Abar	Cmet	RV	Lr
(m)	(m)	(m)	(m)	(m)	(m)		(Hz)	dB(A)	(dB)	(dB)	(dB)	(dB)	(dB)	(dB)	(dB)	(dB)	dB(A)
487144	5703668	420.9	417.9	1855.2	6.3	0	500	105.0	3.0	0.0	76.4	3.6	4.7	0.0	0.0	0.0	23.4

Immissionspunkt

Bez.: IPN_08a_Nb_1 Wohlbedacht 1 Haus West, Bad Wünnenberg

ID: !0A00!IPN_08a_Nb_1

X: 486087.65 m

Y: 5705185.73 m

Z: 400.99 m

Punktquelle nach ISO 9613, Bez: "Ritzenhoff", ID: "!05!Ritzenhoff"

X	Y	Z	Ground	Dist.	hm	Refl.	Freq.	Lw	K0	Di	Adiv	Aatm	Agr	Abar	Cmet	RV	Lr
(m)	(m)	(m)	(m)	(m)	(m)		(Hz)	dB(A)	(dB)	(dB)	(dB)	(dB)	(dB)	(dB)	(dB)	(dB)	dB(A)
487144	5703668	420.9	417.9	1849.3	5.7	0	500	105.0	3.0	0.0	76.3	3.6	4.7	0.1	0.0	0.0	23.3

Immissionspunkt

Bez.: IPN_08a_Nb_2 Wohlbedacht 1 Haus West, Bad Wünnenberg

ID: !0A00!IPN_08a_Nb_2

X: 486087.65 m

Y: 5705185.73 m

Z: 403.79 m

Punktquelle nach ISO 9613, Bez: "Ritzenhoff", ID: "!05!Ritzenhoff"

X	Y	Z	Ground	Dist.	hm	Refl.	Freq.	Lw	K0	Di	Adiv	Aatm	Agr	Abar	Cmet	RV	Lr
(m)	(m)	(m)	(m)	(m)	(m)		(Hz)	dB(A)	(dB)	(dB)	(dB)	(dB)	(dB)	(dB)	(dB)	(dB)	dB(A)
487144	5703668	420.9	417.9	1849.2	6.3	0	500	105.0	3.0	0.0	76.3	3.6	4.7	0.0	0.0	0.0	23.4

Immissionspunkt

Bez.: IPN_08a_Oa_0 Wohlbedacht 1 Haus West, Bad Wünnenberg

ID: !0A00!IPN_08a_Oa_0

X: 486087.89 m

Y: 5705180.26 m

Z: 398.19 m

Punktquelle nach ISO 9613, Bez: "Ritzenhoff", ID: "!05!Ritzenhoff"

X	Y	Z	Ground	Dist.	hm	Refl.	Freq.	Lw	K0	Di	Adiv	Aatm	Agr	Abar	Cmet	RV	Lr
(m)	(m)	(m)	(m)	(m)	(m)		(Hz)	dB(A)	(dB)	(dB)	(dB)	(dB)	(dB)	(dB)	(dB)	(dB)	dB(A)
487144	5703668	420.9	417.9	1844.7	4.8	0	500	105.0	3.0	0.0	76.3	3.6	4.7	0.0	0.0	0.0	23.4

Immissionspunkt

Bez.: IPN_08a_Oa_1 Wohlbedacht 1 Haus West, Bad Wünnenberg

ID: !0A00!IPN_08a_Oa_1

X: 486087.89 m

Y: 5705180.26 m

Z: 400.99 m

Punktquelle nach ISO 9613, Bez: "Ritzenhoff", ID: "!05!Ritzenhoff"

X	Y	Z	Ground	Dist.	hm	Refl.	Freq.	Lw	K0	Di	Adiv	Aatm	Agr	Abar	Cmet	RV	Lr
(m)	(m)	(m)	(m)	(m)	(m)		(Hz)	dB(A)	(dB)	(dB)	(dB)	(dB)	(dB)	(dB)	(dB)	(dB)	dB(A)
487144	5703668	420.9	417.9	1844.6	5.1	0	500	105.0	3.0	0.0	76.3	3.6	4.7	0.1	0.0	0.0	23.4

Immissionspunkt

Bez.: IPN_08a_Oa_2 Wohlbedacht 1 Haus West, Bad Wünnenberg

ID: !0A00!IPN_08a_Oa_2

X: 486087.89 m

Y: 5705180.26 m

Z: 403.29 m

Punktquelle nach ISO 9613, Bez: "Ritzenhoff", ID: "!05!Ritzenhoff"

X	Y	Z	Ground	Dist.	hm	Refl.	Freq.	Lw	K0	Di	Adiv	Aatm	Agr	Abar	Cmet	RV	Lr
(m)	(m)	(m)	(m)	(m)	(m)		(Hz)	dB(A)	(dB)	(dB)	(dB)	(dB)	(dB)	(dB)	(dB)	(dB)	dB(A)
487144	5703668	420.9	417.9	1844.6	6.0	0	500	105.0	3.0	0.0	76.3	3.6	4.7	0.0	0.0	0.0	23.4

Immissionspunkt

Bez.: IPN_08a_Ob_0 Wohlbedacht 1 Haus West, Bad Wünnenberg

ID: !0A00!IPN_08a_Ob_0

X: 486086.26 m

Y: 5705177.84 m

Z: 398.24 m

Punktquelle nach ISO 9613, Bez: "Ritzenhoff", ID: "!05!Ritzenhoff"

X	Y	Z	Ground	Dist.	hm	Refl.	Freq.	Lw	K0	Di	Adiv	Aatm	Agr	Abar	Cmet	RV	Lr
(m)	(m)	(m)	(m)	(m)	(m)		(Hz)	dB(A)	(dB)	(dB)	(dB)	(dB)	(dB)	(dB)	(dB)	(dB)	dB(A)
487144	5703668	420.9	417.9	1843.6	4.8	0	500	105.0	3.0	0.0	76.3	3.6	4.7	0.0	0.0	0.0	23.4

Immissionspunkt

Bez.: IPN_08a_Ob_1 Wohlbedacht 1 Haus West, Bad Wünnenberg

ID: !0A00!IPN_08a_Ob_1

X: 486086.26 m

Y: 5705177.84 m

Z: 401.04 m

Punktquelle nach ISO 9613, Bez: "Ritzenhoff", ID: "!05!Ritzenhoff"

X	Y	Z	Ground	Dist.	hm	Refl.	Freq.	Lw	K0	Di	Adiv	Aatm	Agr	Abar	Cmet	RV	Lr
(m)	(m)	(m)	(m)	(m)	(m)		(Hz)	dB(A)	(dB)	(dB)	(dB)	(dB)	(dB)	(dB)	(dB)	(dB)	dB(A)
487144	5703668	420.9	417.9	1843.6	5.1	0	500	105.0	3.0	0.0	76.3	3.6	4.7	0.1	0.0	0.0	23.4

Immissionspunkt

Bez.: IPN_08a_Sa_0 Wohlbedacht 1 Haus West, Bad Wünnenberg

ID: !0A00!IPN_08a_Sa_0

X: 486082.18 m

Y: 5705177.63 m

Z: 398.24 m

Punktquelle nach ISO 9613, Bez: "Ritzenhoff", ID: "!05!Ritzenhoff"

X	Y	Z	Ground	Dist.	hm	Refl.	Freq.	Lw	K0	Di	Adiv	Aatm	Agr	Abar	Cmet	RV	Lr
(m)	(m)	(m)	(m)	(m)	(m)		(Hz)	dB(A)	(dB)	(dB)	(dB)	(dB)	(dB)	(dB)	(dB)	(dB)	dB(A)
487144	5703668	420.9	417.9	1845.8	5.0	0	500	105.0	3.0	0.0	76.3	3.6	4.7	0.1	0.0	0.0	23.3

Immissionspunkt

Bez.: IPN_08a_Sa_1 Wohlbedacht 1 Haus West, Bad Wünnenberg

ID: !0A00!IPN_08a_Sa_1

X: 486082.18 m

Y: 5705177.63 m

Z: 401.04 m

Punktquelle nach ISO 9613, Bez: "Ritzenhoff", ID: "!05!Ritzenhoff"

X	Y	Z	Ground	Dist.	hm	Refl.	Freq.	Lw	K0	Di	Adiv	Aatm	Agr	Abar	Cmet	RV	Lr
(m)	(m)	(m)	(m)	(m)	(m)		(Hz)	dB(A)	(dB)	(dB)	(dB)	(dB)	(dB)	(dB)	(dB)	(dB)	dB(A)
487144	5703668	420.9	417.9	1845.8	5.1	0	500	105.0	3.0	0.0	76.3	3.6	4.7	0.1	0.0	0.0	23.4

Immissionspunkt

Bez.: IPN_08a_Sa_2 Wohlbedacht 1 Haus West, Bad Wünnenberg

ID: !0A00!IPN_08a_Sa_2

X: 486082.18 m

Y: 5705177.63 m

Z: 403.84 m

Punktquelle nach ISO 9613, Bez: "Ritzenhoff", ID: "!05!Ritzenhoff"

X	Y	Z	Ground	Dist.	hm	Refl.	Freq.	Lw	K0	Di	Adiv	Aatm	Agr	Abar	Cmet	RV	Lr
(m)	(m)	(m)	(m)	(m)	(m)		(Hz)	dB(A)	(dB)	(dB)	(dB)	(dB)	(dB)	(dB)	(dB)	(dB)	dB(A)
487144	5703668	420.9	417.9	1845.7	6.1	0	500	105.0	3.0	0.0	76.3	3.6	4.7	0.0	0.0	0.0	23.4

Immissionspunkt

Bez.: IPN_08a_Sb_0 Wohlbedacht 1 Haus West, Bad Wünnenberg

ID: !0A00!IPN_08a_Sb_0

X: 486076.88 m

Y: 5705181.24 m

Z: 398.24 m

Punktquelle nach ISO 9613, Bez: "Ritzenhoff", ID: "!05!Ritzenhoff"

X	Y	Z	Ground	Dist.	hm	Refl.	Freq.	Lw	K0	Di	Adiv	Aatm	Agr	Abar	Cmet	RV	Lr
(m)	(m)	(m)	(m)	(m)	(m)		(Hz)	dB(A)	(dB)	(dB)	(dB)	(dB)	(dB)	(dB)	(dB)	(dB)	dB(A)
487144	5703668	420.9	417.9	1851.8	4.9	0	500	105.0	3.0	0.0	76.4	3.6	4.7	0.0	0.0	0.0	23.3

Immissionspunkt

Bez.: IPN_08a_Sb_1 Wohlbedacht 1 Haus West, Bad Wünnenberg

ID: !0A00!IPN_08a_Sb_1

X: 486076.88 m

Y: 5705181.24 m

Z: 401.04 m

Punktquelle nach ISO 9613, Bez: "Ritzenhoff", ID: "!05!Ritzenhoff"

X	Y	Z	Ground	Dist.	hm	Refl.	Freq.	Lw	K0	Di	Adiv	Aatm	Agr	Abar	Cmet	RV	Lr
(m)	(m)	(m)	(m)	(m)	(m)		(Hz)	dB(A)	(dB)	(dB)	(dB)	(dB)	(dB)	(dB)	(dB)	(dB)	dB(A)
487144	5703668	420.9	417.9	1851.8	5.1	0	500	105.0	3.0	0.0	76.4	3.6	4.7	0.1	0.0	0.0	23.3

Immissionspunkt

Bez.: IPN_08a_Sb_2 Wohlbedacht 1 Haus West, Bad Wünnenberg

ID: !0A00!IPN_08a_Sb_2

X: 486076.88 m

Y: 5705181.24 m

Z: 403.84 m

Punktquelle nach ISO 9613, Bez: "Ritzenhoff", ID: "!05!Ritzenhoff"

X	Y	Z	Ground	Dist.	hm	Refl.	Freq.	Lw	K0	Di	Adiv	Aatm	Agr	Abar	Cmet	RV	Lr
(m)	(m)	(m)	(m)	(m)	(m)		(Hz)	dB(A)	(dB)	(dB)	(dB)	(dB)	(dB)	(dB)	(dB)	(dB)	dB(A)
487144	5703668	420.9	417.9	1851.7	6.0	0	500	105.0	3.0	0.0	76.4	3.6	4.7	0.0	0.0	0.0	23.4

Immissionspunkt

Bez.: IPN_09 Gut Wohlbedacht 2A, Bad Wünnenberg

ID: !0A00!IPN_09

X: 486259.13 m

Y: 5705354.04 m

Z: 399.60 m

Punktquelle nach ISO 9613, Bez: "Ritzenhoff", ID: "!05!Ritzenhoff"

X	Y	Z	Ground	Dist.	hm	Refl.	Freq.	Lw	K0	Di	Adiv	Aatm	Agr	Abar	Cmet	RV	Lr
(m)	(m)	(m)	(m)	(m)	(m)		(Hz)	dB(A)	(dB)	(dB)	(dB)	(dB)	(dB)	(dB)	(dB)	(dB)	dB(A)
487144	5703668	420.9	417.9	1904.3	9.3	0	500	105.0	3.0	0.0	76.6	3.7	4.6	0.0	0.0	0.0	23.1

Immissionspunkt

Bez.: IPN_10 Gut Wohlbedacht 3A, Bad Wünnenberg

ID: !0A00!IPN_10

X: 486284.12 m

Y: 5705331.05 m

Z: 400.21 m

Punktquelle nach ISO 9613, Bez: "Ritzenhoff", ID: "!05!Ritzenhoff"

X	Y	Z	Ground	Dist.	hm	Refl.	Freq.	Lw	K0	Di	Adiv	Aatm	Agr	Abar	Cmet	RV	Lr
(m)	(m)	(m)	(m)	(m)	(m)		(Hz)	dB(A)	(dB)	(dB)	(dB)	(dB)	(dB)	(dB)	(dB)	(dB)	dB(A)
487144	5703668	420.9	417.9	1872.3	9.4	0	500	105.0	3.0	0.0	76.4	3.6	4.6	0.0	0.0	0.0	23.3

Immissionspunkt

Bez.: IPN_11 Wohlbedacht 4A, Bad Wünnenberg

ID: !0A00!IPN_11

X: 486312.11 m

Y: 5705308.06 m

Z: 400.57 m

Punktquelle nach ISO 9613, Bez: "Ritzenhoff", ID: "!05!Ritzenhoff"

X	Y	Z	Ground	Dist.	hm	Refl.	Freq.	Lw	K0	Di	Adiv	Aatm	Agr	Abar	Cmet	RV	Lr
(m)	(m)	(m)	(m)	(m)	(m)		(Hz)	dB(A)	(dB)	(dB)	(dB)	(dB)	(dB)	(dB)	(dB)	(dB)	dB(A)
487144	5703668	420.9	417.9	1839.1	9.4	0	500	105.0	3.0	0.0	76.3	3.5	4.6	0.0	0.0	0.0	23.5

Immissionspunkt

Bez.: IPN_FhB ehem. Forsthaus Buchholz, Marsberger Str. 4, Bad Wünnenb

ID: !0A00!IPN_FhB

X: 486894.97 m

Y: 5703763.88 m

Z: 429.61 m

Punktquelle nach ISO 9613, Bez: "Ritzenhoff", ID: "!05!Ritzenhoff"

X	Y	Z	Ground	Dist.	hm	Refl.	Freq.	Lw	K0	Di	Adiv	Aatm	Agr	Abar	Cmet	RV	Lr
(m)	(m)	(m)	(m)	(m)	(m)		(Hz)	dB(A)	(dB)	(dB)	(dB)	(dB)	(dB)	(dB)	(dB)	(dB)	dB(A)
487144	5703668	420.9	417.9	267.0	4.6	0	500	105.0	3.0	0.0	59.5	0.5	4.2	0.0	0.0	0.0	43.8